

Transform Your Space Before Sunset

Practical Outdoor Roofing Solution

Introducing the Easy Roof - a sleek, aluminum roofing system designed to revolutionize your outdoor living experience.

Key features



Rapid installation process



Enabling complete setup in 40 minutes! *



No expert help needed!

Easy Roof: Instantly Uplift Your Home's Outdoor Ambiance

In addition to its swift setup, the Easy Roof brings a notable improvement in both utility and design to outdoor settings. It is crafted to address the dynamic needs of modern outdoor living, offering a combination of durability, ease of use, and visual elegance. This makes it an excellent choice for those looking to enhance the livability and appeal of their outdoor areas.





 st 40-minute installation assumes use of recommended professional equipment and ideal conditions.







Unfold, Install, Enjoy It's That Swift

The Easy Roof system is adaptable to various outdoor settings of a home, offering functional and aesthetic improvements:



Functional Carport

Easy Roof offers robust protection for vehicles, blending seamlessly with your home's exterior design. It enhances the functionality of your driveway while improving its visual appeal




Chic Entrance Canopy

Make the entrance of your home more than just a doorway. With Easy Roof, it becomes an elegant canopy, welcoming guests and setting the tone for your home's aesthetic.




Terrace Upgrade

Imagine turning your terrace into an oasis. Easy Roof makes this possible, providing a stylish shelter for any outdoor activity, be it a quiet morning or a lively evening.



MAXIMUM DIMENSIONS	Width: 21'-4"	Depth: 11'-6"	Front Clear Height: 7'-3"
RAFTER DISTANCE	With glass and multiwalled pc max 2'-7 1/2" With sandwich panel max 3'-4".		
PANEL OPTIONS	Glass: 5/32" + 5/32" tempered lamineted		Multiwalled Polycarbonate and Sandwich panel: 5/8" or 5/4"
RESISTANCE	Snow Load: max 11 lb/sqft		Wind Load: max 16 lb/sqft
DEFLECTION LIMIT	L/25/32"		



Quality management in accordance with

ISO 9001

In-house production control in accordance with

DIN EN 1090

Environmental management in accordance with

ISO 14001



QUALICOAT Certified Coating





RAL 9005

RAL 7016



Check Installation Instruction



Watch Installation Video

