



DynaMov


MOTORIZED GLASS ROOF



DynaMov

Motorized Glass Roof System

Stylish sliding roof solution with wide scope of customisation



Technical Details:

Panel Width	3'-7" to 4'-11"
Panel Length	2'-7" to 4'-11"
Glass Thickness	25/64" single or 1 1/2" mm double glass
Glass Type	Tempered & laminated
Roof Pitches	0° to 25°
System Operation	Retractable / Sliding
Profile Colours (in stock)	Press





System Features:

- **Patented system** that enables long years durability and comfort in use with a minimal designed integrated units
- Especially suitable for terraces, garden enclosures, winter garden roofs, pool enclosures, restaurants and smoking rooms
- System is composed of sliding modules that move over each other and stack under the fixed part
- **%100 water and air tightness** thanks to its unique profile design
- Cost reduction through **high modular design and short installation times**
- **Provides wall solutions** at the same time
- Strong motor provides uniform, reliable movement of the sliding and customised opening speeds
- Options to **use with glass, polycarbonate or other panel systems**
- Concealed guttering that creates minimal and contemporary finish
- A completely modular construction enables you to start with the basic roof and then **add shading products, lighting and additional heating**
- Fully adaptation with vertical movable glass systems to convert into a full glass room
- Optional mounting **as roof overhang or as a free standing system without a need of steel construction**
- Corrosion resistant metal accessories and stainless steel screws

